



BENCH OWNER'S MANUAL

IMPORTANT PRECAUTIONS

FOR HOUSEHOLD USE ONLY

Read all instructions and follow it carefully before using your machine. This machine is intended for household use only. It is not designed for commercial use. Inspect your exercise machine prior to exercising to ensure that all nuts and bolts are fully tightened before each use.

Before commencing with any exercise program, please consult your family physician. If at any time during exercise you feel faint, dizzy or experience pain, stop and consult your family physician. In the event any of the above metioned warnings are breached by the consumer, the manufacturer may use same as a defense to any claim for injuries, damage or loss. The above warnings are in no way intended to limit or modify the consumer's remedies for breach of warranties pursuant to applicable federal and state laws of regulations. They are being supplied strictly to ensure the safety of the individuals using this product.

- Make sure machine is stabilized on the floor and uneven surfaces are leveled before use.
- Exercise equipment has moving parts. In the interest of safety, keep others, especially children age under 12, at a safe distance while exercising.
- Make sure all adjustment devices are fully inserted and properly adjusted before use to avoid injury.
- Remove all jewellery, including rings, chains and pins before commencing exercise.
- It is essential that your weight bench is used only indoors, in a climate controlled room.
- Always wear suitable clothing and footwear during exercise. Do not wear loose fitting clothing that could become entangled with the moving parts of your exercise machine.
- Warm up 5 to 10 minutes before each workout and cool down 5 to 10 minutes afterward. This allows your heart rate to gradually increase and decrease and will help you prevent straining your muscles.
- Never hold your breath while exercising. Breathing should remain at a normal rate in conjunction with the level of exercise being performed.
- Rest adequately between workouts. Muscles tone and develop during these rest periods. Beginners should work out twice a week and increase gradually to 4 or 5 times per week.
- Do not "over train". Incorrect or excessive training may result in injury.



At NO time should pets or children under the age of 12 be closer to the weight bench than 10 feet. At NO time should children under the age of 12 use the weight bench. Children over the age of 12 should not use the weight bench without adult supervision.



2

ASSEMBLY


During the assembly process there are several areas that special attention must be paid. It is very important to follow the assembly bench could have frame parts that are not tightened and will seem loose and may cause irritating noises. There should be no side-


Before proceeding, find your weight bench's serial number located on the rear stabilizer SERIAL NUMBER LOCATION tube and


ENTER YOUR SERIAL NUMBER AND MODEL NAME IN THE BOXES BELOW:

SERIAL NUMBER: MODEL NAME: HORIZON

* Refer to the SERIAL NUMBER and MODEL NAME when calling for service.







TOOLS INCLUDED:

Adonis:

2 13/14mm Flat Wrench 2 17/19mm Flat Wrench Adonis Rack: 1 13/14mm Flat Wrench 2 17/19mm Flat Wrench PARTS INCLUDED: Adonis: 1 Main Frame 1 Rear Base 1 Seat Cushion Adjustable Frame 1 Seat Cushion Tube Back Cushion Adjustable Frame 2 Back Cushion Tubes 1 Adjustable Holder 1 Backrest Cushion 1 Seat Cushion Adonis Rack: 2 Rear Upright Frames 1 Back Connect Supports

2 Barbell Support

PRE ASSEMBLY

UNPACKING

Unpack the product where you will be using it. Place the bench on a level flat surface. It is recommended that you place a protective covering on your floor. Never open box when it is on its side.

NOTE: During each assembly step, ensure that ALL nuts and bolts are in place and partially threaded in before completely tightening any ONE bolt.

NOTE: A light application of grease may aid in the installation of hardware. Any grease, such as lithium bike grease is recommended.




MEED HELP?

If you have questions or if there are any missing parts, contact Customer Tech Support.





ALL MODELS



- A Attach the two WHEELS (12) to the REAR BASE (2), using two HEX BOLTS (25), four WASHERS (29) and two NYLON NUTS (32).
- Attach the MAIN FRAME (1) to the REAR
 BASE (2), using two HEX BOLTS (23), four
 WASHERS (28) and two NYLON NUTS (31).








- A Attach the SEAT CUSHION TUBES (3) to SEAT CUSHION ADJUSTABLE FRAME (7), using four HEX BOLTS (26), eight WASHERS (29) and four NYLON NUTS (32).
- Attach the RIGHTand LEFT BACK CUSHION TUBES (5&4) to BACK CUSHION ADJUSTABLE
 FRAME (6), using four HEX BOLTS (26), eight
 WASHERS (29) and four NYLON NUTS (32).




ADONIS



- Attach the RIGHT and LEFT BACK CUSHION TUBE (5&4) and the SEAT CUSHION TUBE
 (3) to the MAIN FRAME (1), using one HEX BOLTS (21), two WASHERS (27) and one NYLON NUT (30).
- B Insert the **QUICK KNOB (13)** to any one of the holes on the **CURVED PLATE**.
- C Attach two **BUMPERS (11)** to the **BACK CUSHION ADJUSTABLE FRAME (6)** and the **SEAT CUSHION ADJUSTABLE FRAME (7)**.







- A Attach 2 PLASTIC BUSHINGS (20) into both sides of the tube under the MAIN FRAME (1).
- B Cross the ADJUSTABLE HOLDER (8) to MAIN FRAME from bottom side
- C Slide 1 BOLT (22) through 1 WASHER (28), the left side of ADJUSTABLE HOLDER (8), the tube under the MAIN FRAME, the right side of ADJUSTABLE HOLDER, 1 WASHER (28) and 1 NUT(31).
- D Slide 1 BOLT (22) through 1 WASHER (28), the left side of ADJUSTABLE HOLDER (8), the right side of ADJUSTABLE HOLDER, 1
 WASHER (28) and 1 NUT(31) above the MAIN FRAME (1).



ADONIS

ASSEMBLY STEP 6





- A Attach the **BACKREST CUSHION (10)** to the BACK CUSHION TUBES (5&4), using four HEX BOLTS (24) and four WASHERS (29).
- B Attach the **SEAT CUSHION (9)** to the **SEAT** CUSHION TUBES (3), using four HEX BOLTS (24) and four WASHERS (29).




ASSEMBLY COMPLETE!

Adonis


Max. User Weight: 120 kg / 264 lbs Max. Training Load: 160 kg / 352 lbs Product Weight: 19.5 kg / 43 lbs Overall Dimensions: 141 x 64.5 x 129 cm / 55.5" x25 " x 51"

ASSEMBLY STEP 2



- A Attach four END CAPS (4) to both of FRAMES (2L&2R).
- B Attach FRAMES (2L&2R) to BACK CONNECT SUPPORT (1) using four HEX BOLTS (10), eight ARC WASHERS (12) and four NYLON LOCKNUTS (13).





- A Fix two ROUND MID-EMPTY PLUGS (5) into REAR UPRIGHT FRAMES (2L&2R).
- B Slide the two BARBELL SUPPORTS (3) to REAR UPRIGHT FRAMES (2L&2R) and lock with two LOCKING KNOBS (6).
- C Attach RIGHT HOOK (7) and LEFT HOOK
 (8) to BARBELL SUPPORTS (3) using two
 NYLON LOCKNUTS (15) and two WASHERS (11).



ADONIS RACK



ASSEMBLY COMPLETE!

Adonis Rack

Max. Training Load: 160 kg / 352 lbs Product Weight: 16 kg / 35 lbs Overall Dimensions: 62 x 107 x 150 cm / 23.8" x 42" x 59" Inner Rack Dimensions: 91 cm / 38.5" Overall Dimensions: 105 cm / 41.3"

CONDITIONING GUIDELINES

STRETCH FIRST

Before using your product, it is best to take a few minutes to do a few gentle stretching exercises. Stretching prior to exercise will improve flexibility and reduce chances of exercise related injury. Ease into each of these stretches with a slow gentle motion. Do not stretch to the point of pain. Make sure not to bounce while doing these stretches.



1. STANDING CALF MUSCLE STRETCH

Stand near a wall with the toes of your left foot about 18" from the wall, and the right foot about 12" behind the other foot. Lean forward, pushing against the wall with your palms. Keep your heels flat and hold this position for a count of 15 seconds. Make sure that you do not bounce while stretching. Repeat on the other side.

2. STANDING QUADRICEP STRETCH

Using a wall to provide balance, grasp your left ankle with your left hand and hold your foot against the back of your thigh for 15 seconds. Repeat with your right ankle and hand.




3. SITTING HAMSTRING & LOWER BACK MUSCLE STRETCH

Sit on the floor with your legs together and straight out in front of you. Do not lock your knees. Extend your fingers towards your toes and hold for a count of 15 seconds. Make sure that you do not bounce while stretching. Sit upright again. Repeat one time.





ADONIS EXPLODED VIEW




ADONIS PARTS LIST

NO.	DESCRIPTION	QTY	NO.
1	Main Frame	1	21
2	Rear Base	1	22
3	Seat Cushion Tube	2	23
4	Left Back Cushion Tube	1	24
5	Right Back Cushion Tube	1	25
6	Back Cushion Adjustable Frame	1	26
7	Seat Cushion Adjustable Frame	1	27
8	Adjustable Holder	1	28
9	Seat Cushion	1	29
10	Back Cushion	1	30
11	Bumper	2	31
12	Wheel	2	32
13	Quick Knob	1	
14a	Rubber Foot Pad (big)	1	
14b	Rubber Foot Pad (small)	2	
15	Handle Grip(19mm)	2	
16	Handle Grip(25mm)	1	
17	50 x 100mm Ellipse End Plug	1	
18	20 X 40 Square End Plug	8	
19	Oil Bushing	2	
20	Plastic Bushing	2	

NO.	DESCRIPTION	QTY
21	Hex Bolt M12 X 190mm	1
22	Hex Bolt M10 x 130mm	2
23	Hex Bolt M10 x 65mm	2
24	Hex Bolt M8 x 55mm	8
25	Hex Bolt M8 x 45mm	2
26	Hex Bolt M8 x 35mm	8
27	M12 Washer	2
28	M10 Washer	8
29	M8 Washer	28
30	M12 Nylon Nut	1
31	M10 Nylon Nut	4
32	M8 Nylon Nut	10

ADONIS RACK EXPLODED VIEW



ADONIS RACK PARTS LIST

NO.	DESCRIPTION	QTY
1	Back Connect Suppor	1
2L	Left Rear Upright Frame	1
2R	Right Rear Upright Frame	1
3	Barbell Support	2
4	Round End Cap (76mm)	4
5	Round Mid-empty Plug	2
6	Locking Knob	2
7	Right Hook	1
8	Left Hook	1
9	Hex Bolt (M6x110mm)	8
10	Hex Bolt (M10x95mm)	4
11	Washer (M8)	2
12	Arc Washer (M10)	8
13	Nylon Locknut (M10)	4
14	Nylon Locknut (M6)	8
15	Nylon Locknut (M8)	2

21



BENCH OWNER'S MANUAL

Adonis & Adonis Rack Owner's Manual 0612'12 Rev. 1.6 © 2012 Horizon Fitness